

*Transmitted Via Facsimile to (703) 872-9306*

9D-DW-19893  
PATENT

IN THE CLAIMS:

1. (previously presented) An escutcheon for an appliance door assembly, said escutcheon comprising:

a front edge and a rear edge horizontally spaced from said front edge, said front and rear edges vertically depending from an escutcheon upper surface;

a control panel mounting surface comprising a lower edge, said control panel mounting surface extending upwardly and inwardly from said lower edge and between said front and rear edges; and

a plurality of formations depending from said lower edge and defining a retaining slot.

2. (original) An escutcheon in accordance with Claim 1 wherein said formations comprise panel positioning ribs.

3. (withdrawn) An escutcheon in accordance with Claim 2 wherein the door assembly includes an outer panel with a curved outer surface, said ribs arranged beneath said lower edge to approximately match the curvature of the outer panel.

4. (previously presented) An escutcheon in accordance with Claim 2 wherein said ribs comprise a guide surface extending at an acute angle with said lower edge.

5. (original) An escutcheon in accordance with Claim 4, said ribs further comprising a panel engagement portion extending from said guide surface.

6. (withdrawn) An escutcheon in accordance with Claim 1 further comprising a curved front face extending beneath said lower edge.

*Transmitted Via Facsimile to (703) 872-9306*

9D-DW-19893  
PATENT

7. (currently amended) An escutcheon for a dishwasher door assembly, said escutcheon comprising a lower edge and a plurality of formations depending therefrom, each formation comprising a guide surface formed at an acute angle with said lower edge, said guide surface defining a retaining slot, said guide surface defining a panel engagement portion.

8. (original) An escutcheon in accordance with Claim 7 further comprising a lip, said slot defined by said guide surface and said lip.

9. (currently amended) An escutcheon in accordance with Claim 8 ~~further comprising a panel engagement portion extending from said guide surface, wherein~~ said panel engagement portion extending extends substantially parallel to said lip.

10. (withdrawn) An escutcheon in accordance with Claim 7 wherein said formations are located along a curved path.

11. (withdrawn) An escutcheon in accordance with Claim 10 further comprising a control panel mounting surface, and a curved front face extending between said control panel mounting surface.

12. (withdrawn) An appliance door assembly comprising:

an outer door panel comprising an edge and an outer surface; and

an escutcheon attached to said edge, said escutcheon comprising a plurality of formations defining a retaining slot, said formations locating said outer surface within said slot when said edge is received in said slot.

13. (withdrawn) A door assembly in accordance with Claim 12, said formations comprising a panel engagement portion and a guide surface extending at an angle from said panel engagement portion.

*Transmitted Via Facsimile to (703) 872-9306*

9D-DW-19893  
PATENT

14. (withdrawn) A door assembly in accordance with Claim 13 wherein said panel outer surface is curved, said formations depending from said escutcheon in a curved arrangement.

15. (withdrawn) A door assembly in accordance with Claim 12, said escutcheon comprising a lip defining said retaining slot, said panel engagement portion extending substantially parallel to said lip.

16. (withdrawn) A door assembly in accordance with Claim 12, said escutcheon comprising a lower edge, said lower edge substantially flush with said panel outer surface when said edge is received in said slot.

17. (withdrawn) A door assembly in accordance with Claim 16 wherein said panel outer surface is curved.

18. (withdrawn) A dishwasher door assembly comprising:

an outer door panel comprising an edge and a curved outer surface; and

an escutcheon attached to said edge, said escutcheon comprising a plurality of formations defining a retaining slot, each said formation comprising a panel engagement portion, said panel engagement portion positioning said edge within said slot to that said panel outer surface is substantially flush with an outer surface of said escutcheon.

19. (withdrawn) A door assembly in accordance with Claim 18, each said formation further comprising an angled guide surface extending from said panel engagement portion.

20. (withdrawn) A door assembly in accordance with Claim 18 wherein said outer surface of said escutcheon is curved.